

An Introduction to the Theory of Numbers

by

LEO MOSER

Errata

The latest version of this book is always at the web page

<http://www.trillia.com/moser-number.html>

The date of distribution of any version can be found on the Terms and Conditions page of the book.

This list of errata records changes made since the version of March 1, 2004.

Version of December 29, 2007:

- (1) Chapter 5, Congruences. On page 51, at the end of the sentence

Nevertheless, in spite of numerous attempts this result of Vinogradov has not been much improved.

add the footnote

Publisher's note: Very soon after these notes were written, the exponent of p in each of the two previous displayed formulas was effectively halved; see "The distribution of quadratic residues and non-residues," by D. A. Burgess, *Mathematika* (4), 1957, pp. 106–112.

Thanks to Harald Helfgott for this reference.

Version of October 1, 2007:

- (1) Miscellaneous Problems, Problem 23. Change

$$n^{\varphi(n)} \prod \left(\frac{n!}{d^d} \right)^{\mu\left(\frac{n}{d}\right)}$$

to

$$n^{\varphi(n)} \prod_{d|n} \left(\frac{d!}{d^d} \right)^{\mu\left(\frac{n}{d}\right)}.$$

Thanks to John Williams for this correction.

Version of January 7, 2007:

- (1) Page 2, change " $F_0 = 1$ " to " $F_0 = 0$ ".

(2) Page 4, change

$$\frac{1}{(1-x)(1-x^2)(1-x^3)\dots} = 1 + x^1 + x^2 + x^3 + \dots$$

to

$$\frac{1}{(1-x)(1-x^3)(1-x^5)(1-x^7)\dots} = (1+x)(1+x^2)(1+x^3)(1+x^4)\dots$$

(3) Page 11, change

$$\sigma_k(n) = \sum_{d|n} d^k \cdot \ell(n)$$

to

$$\sigma_k(n) = \sum_{d|n} (d^k \cdot 1).$$

Change “ $\sigma = I_1 \times I_1$ ” to “ $\sigma = I_0 \times I_1$ ”.

(4) Page 13, change

$$\sum_{d|n} \Lambda(n) = \log n$$

to

$$\sum_{d|n} \Lambda(d) = \log n.$$

Change

$$\Lambda(d) = - \sum_{d|n} \mu(d) \log \left(\frac{n}{d} \right) = \sum_{d|n} \mu(d) \log d$$

to

$$\Lambda(n) = \sum_{d|n} \mu(d) \log \left(\frac{n}{d} \right) = - \sum_{d|n} \mu(d) \log d.$$

(5) Page 14, change

$$\sum \frac{\varphi(n)}{n^s} = \frac{1}{\zeta(s)}$$

to

$$\sum \frac{\mu(n)}{n^s} = \frac{1}{\zeta(s)}.$$

(6) Page 18, change “But now this n is fixed so there will also be an n such that ...”
to “But now this n is fixed so there will also be an m such that ...”

(7) Page 21, indicate that

$$\binom{2n}{n} > \frac{4^n}{2n}$$

only for $n > 1$.

- (8) Page 27, change

$$F(n) = \sum_{d|n} f(d)$$

to

$$F(n) = \sum_{d=1}^n f(d).$$

- (9) Page 28, top of page, fix tableau expression for $\mathcal{F}(x)$ and later add commentary to indicate that the second set of sums is taken over certain diagonal lines. (Unfortunately, this changed the page numbering in the rest of this chapter.)
- (10) Page 38, change

$$0 < f(x) \sin x < \frac{n^n a^n}{n!} \rightarrow 0$$

to

$$0 < f(x) \sin x < \frac{\pi^n a^n}{n!} \rightarrow 0$$

- (11) Page 43, change “Thus $2 \times 3 = 4 \times 3 \pmod{6}$ does not imply $2 \equiv 3 \pmod{6}$ ” to “Thus $2 \times 3 = 4 \times 3 \pmod{6}$ does not imply $2 \equiv 4 \pmod{6}$ ”.

Thanks to Mark Hudson for these suggestions.

Version of October 4, 2004:

- (1) On page 26, change “Every integer > 7 can be written as the sum of distinct primes” to “Every integer > 6 can be written as the sum of distinct primes.”
- (2) On page 73, change “Is every number > 2 the sum of two primes?” to “Is every even number > 2 the sum of two primes?”

Version of May 14, 2004:

- (1) Add a reference to P. Erdős and J. L. Selfridge, “The products of consecutive integers is never a power,” Illinois J. Math. **19** (1975), 292–301 in a footnote to Problem 40 in the list of Unsolved Problems and Conjectures. Thanks to Tony Noe for the reference.